



- **Reviewing Auto Reverse Mechanisms And Why They Matter**
Reviewing Auto Reverse Mechanisms And Why They Matter Testing Photo Eye Sensors With Quick Steps Learning About Manual Release Functions Understanding UL Standards For Garage Doors Checking Safety Labels And Ratings Before Purchase Adjusting Opener Force Settings Responsibly Evaluating Backup Power Options During Outages Verifying Emergency Release Handles For Accessibility Ensuring Child And Pet Safety Near Moving Parts Examining Industry Guidelines For Proper Installation Implementing Routine Safety Drills For Households Identifying Potential Hazards Through Visual Inspection
- **Inspecting Weather Seals For Energy Efficiency**
Inspecting Weather Seals For Energy Efficiency Lubricating Tracks And Rollers With Minimal Mess Checking Door Balance For Smooth Movement Monitoring Cable Tension For Safety Identifying Common Wear Points That Need Attention Creating A Simple Maintenance Schedule That Works Reading Opener Manuals For Basic Troubleshooting Verifying Photo Eye Sensor Alignment Regularly Removing Debris From Tracks For Better Operation Evaluating Loose Hinges Before They Fail Preserving A Clean Door Surface In All Climates Gathering Essential Tools For Simple DIY Checkups
- **About Us**



In the ever-evolving landscape of technology and automation, photo eye sensors have become indispensable components in various industries. These devices play a crucial role in ensuring the smooth operation and safety of automated systems, from manufacturing processes to security setups. However, their reliability and functionality are heavily dependent on proper alignment—a task that cannot be overstated in its importance.

Photo eye sensors operate by emitting a light beam that, when interrupted, triggers a response or action. Safety features like auto-reverse sensors are essential for modern garage doors **garage door openers repair near me** warranty. This simple yet effective mechanism allows them to detect objects or changes in an environment with precision. Yet, even a slight misalignment can lead to false readings or complete malfunctions, potentially causing disruptions in operations or even compromising safety.

The repercussions of improper alignment are manifold. In an industrial setting, for example, poorly aligned sensors may fail to detect obstacles on a conveyor belt, leading to jams or product damage. In security applications, they might miss intrusions or trigger false alarms, undermining the system's trustworthiness. Therefore, regular verification of photo eye sensor alignment is not just recommended—it is essential.

Safety is perhaps the most critical aspect impacted by sensor alignment. In environments where heavy machinery operates autonomously based on sensor feedback, any error could pose significant risks to human operators and equipment alike. Ensuring correct alignment minimizes these risks by maintaining accurate detection capabilities.

Functionality is equally important; without it, efficiency plummets and costs can rise exponentially due to unnecessary downtime or maintenance needs. Properly aligned sensors contribute to seamless operations by providing consistent and reliable input data for automated systems.

Regular verification of photo eye sensor alignment should be integrated into routine maintenance schedules. This involves checking that the sensor's beam path is unobstructed and correctly aimed at its receiver target. Adjustments may be necessary if there are signs of drift caused by vibrations or environmental changes over time.

In conclusion, the importance of maintaining proper alignment for photo eye sensors cannot be understated when considering both safety and functionality aspects. By ensuring regular checks and adjustments as needed, industries can safeguard their processes against

potential failures while optimizing operational efficiency-a win-win scenario that underscores the value of vigilance in technological upkeep.

Verifying the alignment of photo eye sensors is a crucial task in ensuring the optimal performance and reliability of automated systems. These sensors play an essential role in detecting objects, controlling processes, and maintaining safety across various industrial applications. Regular alignment verification can prevent costly downtime and improve efficiency. To achieve precise alignment verification, specific tools and equipment are necessary, each serving a unique function in the process.

One of the primary tools required for this task is a calibration card or target. This is typically a reflective or contrasting surface used to test the sensor's ability to detect objects accurately. By placing the calibration card within the sensor's detection area, technicians can quickly determine if the sensor is properly aligned by observing whether it reliably detects or misses the target.

A laser alignment tool is another critical piece of equipment for verifying photo eye sensor alignment. These devices project a beam that helps pinpoint exact alignments between two points over long distances with high precision. In scenarios where sensors must be aligned at varying angles or positions, a laser tool ensures that their optical axes are perfectly aligned with their intended targets.

Digital multimeters are also indispensable during this process as they can measure electrical signals such as voltage and current outputs from sensors. This allows technicians to confirm whether sensors are functioning correctly or need adjustments based on electrical feedback.

Additionally, having an adjustable mounting bracket system simplifies fine-tuning during alignment procedures. These brackets allow technicians to make precise positional changes without needing to reposition entire setups manually, thus saving time and reducing potential errors in misalignment.

Furthermore, safety gear should not be overlooked while conducting these verifications. Protective eyewear guards against accidental exposure to laser beams or other hazardous materials encountered during maintenance tasks.

Lastly, comprehensive documentation tools like checklists and logs facilitate systematic recording of alignment checks over time. Documenting procedures not only standardizes practices but also provides valuable insights into trends that might indicate underlying issues requiring attention before they escalate into significant problems.

In conclusion, verifying photo eye sensor alignment regularly necessitates a set of specialized tools and equipment designed to enhance accuracy and efficiency while maintaining safety standards. Calibration cards ensure effective detection capabilities; laser alignment tools provide precise positioning; digital multimeters help validate functionality; adjustable brackets simplify adjustments; safety gear protects personnel; and meticulous documentation supports continuous improvement efforts. Together, these elements form an integral part of maintaining robust automated systems through reliable sensor performance monitoring.

Posted by on

Posted by on

Posted by on

Safety Benefits of Installing Auto Reverse Mechanisms

Ensuring optimal performance and safety in automated systems often hinges on the precise alignment of photo eye sensors. These sensors play a crucial role in detecting the presence, absence, or passage of objects within various industrial and commercial applications. However, to maintain their effectiveness and prevent operational disruptions, regular verification of their alignment is essential. This step-by-step guide will walk you through the process of checking sensor alignment, ensuring that your system runs smoothly and efficiently.

Before delving into the specifics of sensor alignment, it is important to understand what a photo eye sensor does. Essentially, these sensors emit a beam of light—often infrared—that is detected by a receiver. When an object interrupts this beam, the sensor triggers a response based on its programming. Misalignment can cause false readings or failures to detect objects altogether, leading to inefficiencies or potential hazards.

Step 1: Preparation

Begin by gathering necessary tools such as a screwdriver, wrench set, microfiber cloths for cleaning lenses, and any manufacturer-specific calibration instruments. It's also prudent to have the user manual handy for reference regarding specific settings and adjustments pertinent to your model.

Step 2: Initial Inspection

Examine both the emitter and receiver units for signs of physical damage or dirt accumulation that might obstruct the light beam. Cleaning the lenses with a microfiber cloth can often resolve minor issues without further adjustment.

Step 3: Power Down

For safety reasons, always power down your system before making any adjustments. This prevents accidental triggering during realignment which could lead to injury or unintended machinery operation.

Step 4: Visual Alignment

Aligning photo eye sensors typically involves ensuring that they are directly facing each other with no obstructions in between. Use a level if necessary to confirm that each unit is mounted at an equal height and perpendicular angle relative to one another.

Step 5: Fine Adjustments

Turn on the system briefly while maintaining caution around moving parts. Adjust each unit incrementally using screws or brackets provided until you achieve optimal signal transmission as indicated by status LEDs or control panel feedback mechanisms.


Step 6: Test Functionality


Conduct tests by placing objects at varying distances within the sensor's range to ensure reliable detection across all scenarios expected during normal operation. Pay attention particularly at extreme ends where misalignment issues tend most frequently arise due to angular deviations over distance.

Step 7: Documentation

Record all findings including any positional changes made along with timestamps for future reference aiding ongoing maintenance efforts or troubleshooting activities should similar issues arise again later down line

In conclusion regularly verifying photo-eye sensor alignment not only enhances operational efficacy but also contributes significantly toward creating safer work environments whilst minimizing downtime associated malfunctions caused poor calibration practices diligently following outlined procedure above will ensure these critical components remain functional well into foreseeable future ultimately supporting broader organizational objectives productivity reliability sustainability alike





Common Issues and Troubleshooting Tips for Auto Reverse Systems

In today's fast-paced industrial and commercial environments, technology plays a pivotal role in ensuring the smooth operation of various processes. Among these technological advancements is the photo eye sensor, a key component used extensively for detecting objects and controlling systems. However, like any other precision instrument, photo eye sensors are susceptible to misalignment, which can lead to a host of common issues that hinder operational efficiency.

One of the most prevalent issues caused by misaligned photo eye sensors is inaccurate object detection. When these sensors are not properly aligned, they may fail to detect the presence or absence of objects accurately. This can result in malfunctions such as conveyor belts stopping unnecessarily or failing to stop when needed, leading to potential damage to goods or equipment. In automated processes where precision is paramount, even slight misalignments can cause significant disruptions.

Another issue arising from misaligned sensors is increased wear and tear on machinery. When sensors fail to provide accurate readings due to misalignment, machinery may operate under incorrect assumptions about material flow or positioning. This can lead to mechanical stress and premature wear on components as they engage more frequently than necessary or at inappropriate times. Over time, this can escalate maintenance costs and reduce the lifespan of critical equipment.

Moreover, safety concerns emerge when photo eye sensors are not properly aligned. These sensors often serve as safety mechanisms in automated systems by preventing collisions between moving parts or ensuring that operators do not come into contact with hazardous areas during machine operation. Misalignment could lead to safety guards failing to activate at crucial moments, posing serious risks to personnel working near such equipment.

To mitigate these challenges, it is essential for businesses and industries relying on photo eye sensors to implement regular verification procedures for sensor alignment. Regular checks help identify minor misalignments before they develop into major problems, ensuring that systems continue operating efficiently and safely. This proactive approach not only minimizes downtime but also optimizes overall productivity by maintaining reliable sensor performance.

In conclusion, while photo eye sensors offer invaluable benefits in modern industrial operations, their effectiveness hinges on precise alignment. Misaligned sensors can cause issues ranging from inaccurate object detection and increased mechanical stress to heightened safety risks. By adopting routine verification practices for sensor alignment, organizations can safeguard against these problems and maintain optimal functionality across their processes. As technology continues to advance, prioritizing regular maintenance

becomes increasingly vital in leveraging its full potential while mitigating associated risks.

The Role of Regulations and Standards in Ensuring Safety

Regularly verifying the alignment of photo eye sensors is an essential maintenance task that can prevent a myriad of operational issues in automated systems. These sensors play a pivotal role in ensuring that machinery runs smoothly, accurately, and safely by detecting objects or changes within their scanning range. However, misalignment is one of the most common problems affecting their performance. Troubleshooting such misalignment issues can be daunting without proper guidance. Here are some key tips to ensure your photo eye sensors are always correctly aligned.

First and foremost, understanding the basic principles of how photo eye sensors function is crucial. These devices typically consist of a transmitter that emits a beam of light and a receiver that detects this beam. Proper alignment ensures that the light path remains unbroken until an object disrupts it. Misalignment often results from physical disturbances, such as vibrations or accidental knocks, which can cause the sensor or its reflector to shift out of position.

The initial step in troubleshooting involves conducting a visual inspection. Check for any signs of physical damage or obstructions along the light path between the transmitter and receiver. Even small debris or dust accumulation can scatter the light beam, resulting in false readings or complete signal loss. Cleaning both components with appropriate materials will often rectify minor issues without further intervention.

If visual inspection does not resolve the issue, recalibration may be necessary. Begin by consulting the manufacturer's manual for specific instructions on aligning your particular model since different sensors may have unique features and adjustments mechanisms. Generally speaking, you will need to ensure that both the emitter and detector are parallel and facing each other directly at the correct angle.

Using alignment tools like laser pointers can enhance precision during this process. By projecting a highly visible beam onto the receiving unit's center point, you can make fine adjustments until optimal alignment is achieved. Additionally, many modern photo eye sensors come equipped with built-in indicators or displays showing signal strength; utilizing these features provides immediate feedback on whether adjustments have been successful.

Another vital tip is to regularly test sensor functionality after realignment under normal operating conditions. This practice helps confirm not only that alignment has been restored but also that no underlying issues persist within your system's setup-such as electrical faults or software malfunctions-that could mimic symptoms of misalignment.

Finally, establishing routine maintenance schedules for checking sensor alignment can preemptively catch potential problems before they escalate into significant downtime events or costly repairs. Including regular training sessions for personnel responsible for these checks also ensures everyone involved understands how critical proper sensor function is within larger automated processes.

In conclusion, while misalignment problems with photo eye sensors might seem trivial at first glance, neglecting them invariably leads to more severe disruptions over time if left unaddressed. By taking prompt action through methodical troubleshooting steps outlined above-visual inspections, recalibrations using precise tools-and instituting ongoing maintenance routines alongside team education initiatives-you assure continuous reliability across all operations reliant upon these indispensable devices.



Selecting the Right Garage Door System with Effective Auto Reverse Features

In the realm of industrial automation, photo eye sensors stand as silent sentinels, ensuring the seamless operation of countless processes. These sensors, often tasked with detecting the presence or absence of objects on a conveyor belt or within a manufacturing line, play an indispensable role in maintaining efficiency and safety. However, like all precision instruments, their effectiveness is contingent upon regular maintenance and alignment checks. This necessity raises an essential question: What is the recommended frequency for verifying photo eye sensor alignment?

To answer this question aptly, one must first understand the intricacies of photo eye sensor operation. These devices typically emit a beam of light that is either reflected back to a receiver or interrupted by an object passing between them. Over time, various factors such as vibration from machinery, accidental bumps during cleaning or maintenance, and environmental conditions like dust or temperature fluctuations can cause these sensors to drift out of alignment. When misaligned, they may fail to detect objects accurately, leading to potential errors in production lines that could result in costly downtime or even safety hazards.

Given these risks, industry experts advocate for a proactive approach to sensor maintenance. While there is no universal rule applicable across all industries due to differing operational environments and usage intensities, a widely accepted standard suggests performing alignment checks on photo eye sensors at least once every three months. This quarterly schedule strikes a balance between ensuring optimal performance and minimizing disruptions caused by frequent maintenance procedures.

However, certain circumstances may necessitate more frequent checks. For instance, facilities operating under extreme conditions—such as high temperatures or environments with substantial dust and debris—might require monthly inspections to ensure reliability. Additionally, if a facility experiences frequent issues related to sensor accuracy or system failures attributable to misalignment in the past, increasing the inspection frequency might be prudent until stability is achieved.

It is also essential for technicians conducting these checks to employ proper tools and techniques. Utilizing calibration equipment designed specifically for photo eye sensors can significantly enhance accuracy during realignment tasks. Moreover, maintaining detailed records of each inspection allows teams to identify patterns over time that may indicate underlying issues needing attention beyond mere realignment.

In conclusion, while the specific frequency for verifying photo eye sensor alignment can vary based on environmental factors and individual facility needs, adopting a routine checkup schedule-typically quarterly-is advisable for most operations seeking consistent performance from their systems. By doing so diligently and adjusting frequencies as necessary based on observed conditions and results over time, facilities can optimize their operations while preventing avoidable setbacks associated with misaligned sensors. Regular attention not only ensures efficient production but also fortifies safety measures within any automated environment reliant upon this critical technology.

About romeoville, IL

Redirect to:

- o Romeoville, Illinois

This page is a redirect. The following categories are used to track and monitor this redirect:

- o **From a US postal abbreviation:** This is a redirect from a US postal abbreviation to its associated municipality.

When appropriate, protection levels are automatically sensed, described and categorized.

About Overhead Door Company of Joliet

Photo

Image not found or type unknown

Things To Do in Will County

Photo

Image not found or type unknown

Joliet Area Historical Museum

4.6 (679)

Photo

Image not found or type unknown

**Will County Historical Museum and Research
Center**

4.6 (23)

Photo

Image not found or type unknown

Riverwalk Park

4.8 (3778)

Photo

Image not found or type unknown

Pilcher Park Nature Center

4.7 (728)

Photo

Joliet Iron Works Park

4.6 (148)

Photo

Image not found or type unknown

Illinois State Museum-Lockport Gallery

4.7 (105)

Photo

Image not found or type unknown

Gemini Giant

3.5 (27)

Driving Directions in Will County

Driving Directions From Pep Boys to Overhead Door Company of Joliet

Driving Directions From MainStay Suites Joliet I-80 to Overhead Door Company of Joliet

Driving Directions From Red Roof Inn Chicago - Joliet to Overhead Door Company of Joliet

Driving Directions From The Haley Mansion to Overhead Door Company of Joliet

Driving Directions From Honorable Bennett Braun to Overhead Door Company of Joliet

Driving Directions From Clarion Hotel & Convention Center Joliet to Overhead Door Company of Joliet

https://www.google.com/maps/dir/Chillin%27+Products/Overhead+Door+Company+of+Joliet/@48.1045585,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJmzmsnFhhDogRt1NOT2M88.1045585!2d41.5055323!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e0

https://www.google.com/maps/dir/Rockdale/Overhead+Door+Company+of+Joliet/@48.1145036,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJpaS5F9RjDogRcfaEAhHS88.1145036!2d41.5061419!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e2

https://www.google.com/maps/dir/Will+County+Sheriff+Department/Overhead+Door+Company+of+Joliet/@48.0822795,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ4ykaz7dmDogReYP6uoE88.0822795!2d41.5244193!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e1

https://www.google.com/maps/dir/Golden+Corral+Buffet+%26+Grill/Overhead+Door+Company+of+Joliet/@48.131781,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJxxURXp5hDogRpCrLzROK88.131781!2d41.5218954!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e3

https://www.google.com/maps/dir/Joliet/Overhead+Door+Company+of+Joliet/@41.5288.0817251,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJfT027GtFDogRQsBro_dm88.0817251!2d41.525031!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e0

https://www.google.com/maps/dir/Dollar+General/Overhead+Door+Company+of+Joliet/@41.5288.104361,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJNQmB1UZhDogRdJIXSnA88.104361!2d41.5227028!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e2

https://www.google.com/maps/dir/The+Haley+Mansion/Overhead+Door+Company+of+Joliet/@41.5288.0916596,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJr-rdFkthDogRLc6io_9nPSI!2m2!1d-88.0916596!2d41.5223571!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e1

Driving Directions From Joliet Iron Works Historic Site to Overhead Door Company of Joliet

Driving Directions From Joliet Iron Works Historic Site to Overhead Door Company of Joliet

Driving Directions From Illinois State Museum-Lockport Gallery to Overhead Door Company of Joliet

Driving Directions From Knoch Knolls Nature Center to Overhead Door Company of Joliet

Driving Directions From Lake Katherine Nature Center and Botanic Gardens to Overhead Door Company of Joliet

Driving Directions From Old Joliet Prison to Overhead Door Company of Joliet

Driving Directions From Waterfall Glen Forest Preserve to Overhead Door Company of Joliet

https://www.google.com/maps/dir/Gemini+Giant/Overhead+Door+Company+of+Joliet+88.1496993,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-88.1496993!2d41.30606!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e0

https://www.google.com/maps/dir/Des+Plaines+River+viewing+point/Overhead+Door+88.0581975,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-88.0581975!2d41.6556644!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e2

https://www.google.com/maps/dir/Lake+Katherine+Nature+Center+and+Botanic+Gard87.8010774,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-87.8010774!2d41.6776048!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e1

https://www.google.com/maps/dir/Lake+Katherine+Nature+Center+and+Botanic+Gard87.8010774,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-87.8010774!2d41.6776048!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e3

https://www.google.com/maps/dir/Fox+Museum/Overhead+Door+Company+of+Joliet+88.0548128,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-88.0548128!2d41.5885338!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e0

https://www.google.com/maps/dir/Lincoln+Landing/Overhead+Door+Company+of+Jo88.0583755,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-88.0583755!2d41.5902263!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e2

https://www.google.com/maps/dir/Gemini+Giant/Overhead+Door+Company+of+Joliet+88.1496993,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-88.1496993!2d41.30606!1m5!1m1!1sChIJLWV_oV9hDogRGyjUaaoTEjk!2m2!1d-88.106331!2d41.5069115!3e1

Reviews for Overhead Door Company of Joliet

Overhead Door Company of Joliet

Image not found or type unknown

Hector Melero

(5)

Had a really great experience with Middleton Overhead Doors. My door started to bow and after several attempts on me fixing it I just couldn't get it. I didn't want to pay on something I knew I could fix. Well, I gave up and they came out and made it look easy. I know what they are doing not to mention they called me before hand to confirm my appointment and they showed up at there scheduled appointment. I highly recommend Middleton Overhead Doors on any work that needs to be done

Overhead Door Company of Joliet

Image not found or type unknown

Andrea Nitsche

(4)

Scheduling was easy, job was done quickly. Little disappointed that they gave me a quote over email (which they confirmed was for labor and materials), but when they finished it was just over \$30 more. Not a huge deal, but when I asked why, I was told they gave me an approx cost and it depends on what is needed. I get that in general, however, they installed the door and I gave them my address and pics of the existing prior to getting a quote. I feel like they could have been more upfront with pricing. And just a heads up, it was pricey... Had them change the weather stripping, from ringing my doorbell to pulling out my driveway when done was literally 20 mins, cost was just over \$260 ?

Overhead Door Company of Joliet

Image not found or type unknown

Owen McCarthy

(5)

I called the office just by chance to see if there was an available opening for a service call to repair a busted spring. Unfortunately I didn't catch the name of the person who answered, but she couldn't have been more pleasant and polite. She was able to get a tech to my house in an hour. I believe the tech's name was Mike and he too was amazing. He quickly resolved my issue and even corrected a couple of things that he saw that weren't quite right. I would recommend to anyone and will definitely call on Middleton for any future needs. Thank you all for your great service.

Overhead Door Company of Joliet

Image not found or type unknown

Jim Chuporak

(5)

Received a notice the morning of telling me when to expect the men to come and put the door in. he was on time, answered all my questions, worked diligently in the cold. And did an absolutely awesome job. Everything was cleaned up, hauled away from the old door. I am extremely happy with the service I received from the first phone call I made through having the door put in. My wife and I are very, very happy with the door.

Overhead Door Company of Joliet

Image not found or type unknown

Kelley Jansa

(5)

We used Middleton Door to upgrade our garage door. We had three different companies come out to quote the job and across the board Middleton was better. They were professional, had plenty of different options and priced appropriately. The door we ordered came with a small dent and they handled getting a new panel ordered and reinstalled very quickly.

Verifying Photo Eye Sensor Alignment Regularly [View GBP](#)

Frequently Asked Questions

What is the purpose of a photo eye sensor in a garage door system?

The photo eye sensor detects obstructions in the path of a closing garage door, ensuring safety by preventing it from closing if something is detected.

How often should I check the alignment of my garage doors photo eye sensors?

Its recommended to check the alignment every month or whenever you notice that the door doesnt close properly.

What signs indicate that my photo eye sensors might be misaligned?

Signs include the garage door reversing unexpectedly, blinking indicator lights on the sensors, or hearing clicking sounds when trying to close the door.

How do I know if my photo eye sensors are aligned correctly?

The sensors should have steady indicator lights when aligned. If not aligned, one or both will have blinking or no light at all.

What steps can I take to realign misaligned photo eye sensors?

Loosen their mounting brackets slightly and adjust them until both indicators show steady lights. Ensure they face each other directly and are mounted at equal heights.

Overhead Door Company of Joliet

Phone : +18157256077

City : Joliet

State : IL

Zip : 60436

Address : Unknown Address

Google Business Profile

Company Website : <https://overhaddoorjoliet.com/garage-door-repair-romeoville.aspx>

Sitemap

Privacy Policy

About Us